In accordance with REACH Regulation EC No.1907/2006

Product:

ENERGIZE FRAGRANCE FRAG0500

Version: 15

## Section 1. Identification of the substance or the mixture and of the supplier

**1.1 Product Identifier** 

 
 Product identifier:
 ENERGIZE FRAGRANCE FRAG0500 (Contains:ETHYL LINALOOL, LIMONENE, LINALOOL, TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)

 Other identifiers:
 None

## 1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

## **1.3 Details of the supplier of the safety data sheet**

| Company name:<br>Company address: | Supplies for Candles & The Soap Kitchen Ltd Unit<br>E Swinton Bridge Industrial Estate, White Lea<br>Road,Swinton<br>South Yorkshire<br>S64 8BH, UK<br>Office Hours: Mon to Fri 08.00 to 16.00<br>customerservice@suppliesforcandles.co.uk TEL: |
|-----------------------------------|---|
| Contact:                          | 01709 257151  |

E-Mail address:

Company phone:

## 1.4 Emergency telephone number

Emergency phone: TEL: 01709 257151

## Section 2. Hazards identification

## 2.1 Classification of the substance or mixture

## Classification under Regulation (EC) No 1272/2008

| Class and category of<br>danger: | Skin Corrosion / Irritation Category 2<br>Eye Damage / Irritation Category 2<br>Sensitization - Skin Category 1 |
|----------------------------------|---|
|                                  | Hazardous to the Aquatic Environment - Long-term Hazard Category 2  |
|                                  | H315, Causes skin irritation.   |
|                                  | H317, May cause an allergic skin reaction.  |
|                                  | H319, Causes serious eye irritation.  |
|                                  | H411, Toxic to aquatic life with long lasting effects.  |
|                                  |   |

## 2.2 Label elements

## Classification under Regulation (EC) No 1272/2008

Signal word: Warning

In accordance with REACH Regulation EC No.1907/2006

|                              |        |   | Thegulation LC No. 1907/2000  |  |  |  |
|------------------------------|--------|---|---|--|--|--|
| Product:                     | ENERC  | GIZE FRAGRANCE FRAG0500   |   |  |  |  |
| Version:                     | 15     |   |   |  |  |  |
| Hazard stater                | nents: | H315, Causes skin irritation.<br>H317, May cause an allergic skin<br>H319, Causes serious eye irritat<br>H411, Toxic to aquatic life with lo  | ion.  |  |  |  |
| Supplemental<br>Information: |        | 2,4-DIMETHYL-3-CYCLOHEXE<br>CARBONATE, CITRAL, CITRON   | TRIMETHYL-1,3-CYCLOHEXADIEN-1-YL)-2-BUTEN-1-ONE,<br>NE CARBOXALDEHYDE, CIS-3-HEXENYL METHYL<br>NELLOL, GERANIOL, GERANYL ACETATE,<br>CETATE, NEROL, NERYL ACETATE,<br>roduce an allergic reaction.  |  |  |  |
| Precautionary<br>statements: |        | <ul> <li>P261, Avoid breathing vapour or dust.</li> <li>P264, Wash hands and other contacted skin thoroughly after handling.</li> <li>P272, Contaminated work clothing should not be allowed out of the workplace.</li> <li>P273, Avoid release to the environment.</li> <li>P280, Wear protective gloves/eye protection/face protection.</li> <li>P302/352, IF ON SKIN: Wash with plenty of soap and water.</li> <li>P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P333/313, If skin irritation or rash occurs: Get medical advice/attention.</li> <li>P362, Take off contaminated clothing and wash before reuse.</li> <li>P391, Collect spillage.</li> <li>P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.</li> </ul> |   |  |  |  |
| Pictograms:                  |        |   |   |  |  |  |
| 2.3 Other haz                | ards   |   |   |  |  |  |
| Other hazard                 | s:     | Sensitisers declared on a CLP<br>Hazard Label:<br>Hydrocarbon Concentration %:  | (E)-1-(2,6,6-TRIMETHYL-1,3-CYCLOHEXADIEN-1-YL)-2-<br>BUTEN-1-ONE, 2,4-DIMETHYL-3-CYCLOHEXENE<br>CARBOXALDEHYDE, CIS-3-HEXENYL METHYL<br>CARBONATE, CITRAL, CITRONELLOL, GERANIOL,<br>GERANYL ACETATE, ISOCYCLOCITRAL, LINALYL<br>ACETATE, NEROL, NERYL ACETATE,<br>PENTADECALACTONE<br>5.438% |  |  |  |

Hydrocarbon Concentration %: 5.438%

In accordance with REACH Regulation EC No.1907/2006

Product: ENERGIZE FRAGRANCE FRAG0500

Version: 15

## Section 3. Composition / information on ingredients

## 3.2 Mixtures

## Contains:

| Name CAS  |  | EC  | REACH Registration<br>No. | %       | Classification for (CLP) 1272/2008   | and ATEs  |  |
|---|--|---|---------------------------|---------|--|---|--|
| PHENETHYL<br>ALCOHOL  | 60-12-8  | 200-456-2   | 01-2119963921-31-xxxx     | 5-<10%  | ATO 4-EDI 2;H302-<br>H319,-  | dermal: ATE = 2500<br>mg/kg bw-oral: ATE =<br>1610 mg/kg bw |  |
| LINALOOL  | 78-70-6  | 201-134-4   | 01-2119474016-42-xxxx     | 5-<10%  | SCI 2-EDI 2-SS 1B;<br>H315-H317-H319,-                                       | oral: ATE = 2790<br>mg/kg bw                                |  |
| ETHYL LINALOOL  | 10339-55-6   | 233-732-6   | 01-2119969272-32-xxxx     | 5-<10%  | SCI 2-EDI 2-SS 1B;<br>H315-H317-H319,-                                       | oral: ATE = 5000<br>mg/kg bw                                |  |
| LIMONENE  | 5989-27-5  | 227-813-5   |                           | 5-<10%  | FL 3-SCI 2-SS 1B-AH<br>1-EH A1-EH C3;H226-<br>H304-H315-H317-<br>H400-H412,- |   |  |
| CIS-2-TERT-<br>BUTYLCYCLOHEXYL<br>ACETATE                           | 20298-69-5   | 243-718-1   | 01-2119970713-33-xxxx     | 1-<5%   | EH C2;H411,-   | oral: ATE = 4600<br>mg/kg bw                                |  |
| TETRAMETHYL<br>ACETYLOCTAHYDRON<br>APHTHALENES                      | 54464-57-2,<br>54464-59-4,<br>68155-66-8,<br>68155-67-9                        | 259-174-3,<br>259-175-9,<br>268-978-3,<br>268-979-9,<br>915-730-3               | 01-2119489989-04-xxxx     | 1-<5%   | SCI 2-SS 1B-EH C1;<br>H315-H317-H410,-                                       |   |  |
| LINALYL ACETATE   | 115-95-7   | 204-116-4   | 01-2119454789-19-xxxx     | 1-<5%   | SCI 2-EDI 2-SS 1B;<br>H315-H317-H319,-                                       |   |  |
| (E)-4-(2,6,6-<br>TRIMETHYL-1-<br>CYCLOHEXEN-1-YL)-3-<br>BUTEN-2-ONE | 79-77-6  | 201-224-3   |                           | 1-<5%   | EH C2;H411,-   | oral: ATE = 3940<br>mg/kg bw                                |  |
| CITRONELLOL   | 106-22-9,<br>1117-61-9,<br>26489-01-0,<br>6812-78-8,<br>141-25-3,<br>7540-51-4 | 203-375-0,<br>214-250-5,<br>247-737-6,<br>229-887-4,<br>205-473-9,<br>231-415-7 | 01-2119453995-23-xxxx     | 1-<5%   | SCI 2-EDI 2-SS 1B;<br>H315-H317-H319,-                                       | dermal: ATE = 2650<br>mg/kg bw-oral: ATE =<br>3450 mg/kg bw |  |
| 2,6-DIMETHYL-7-<br>OCTEN-2-OL                                       | 18479-58-8   | 242-362-4   |                           | 1-<5%   | SCI 2-EDI 2-STO-SE 3<br>(NE);H315-H319-H336,<br>-                            | oral: ATE = 3020<br>mg/kg bw                                |  |
| TETRAHYDRO-<br>METHYL-<br>(METHYLPROPYL)-<br>PYRAN-4-OL             | 63500-71-0   | 405-040-6   | 01-0000015458-64-xxxx     | 1-<5%   | EDI 2;H319,-   |   |  |
| TRICHLOROMETHYL<br>PHENYL CARBINYL<br>ACETATE                       | 90-17-5  | 201-972-0   | 01-2119929625-31-xxxx     | 1-<5%   | EH C2;H411,-   |   |  |
| PHENYLISOXANOL  | 55066-48-3   | 259-461-3   | 01-2119969446-23-xxxx     | 1-<5%   | ATO 4;H302,-   | dermal: ATE = 3100<br>mg/kg bw-oral: ATE =<br>1830 mg/kg bw |  |
| DIETHYL MALONATE  | 105-53-3   | 203-305-9   |                           | 1-<5%   | EDI 2;H319,-   |   |  |
| ISOCYCLOCITRAL  | 1335-66-6  | 215-638-7   |                           | 0.1-<1% | SCI 2-EDI 2-SS 1B-EH<br>C3;H315-H317-H319-<br>H412,-                         | oral: ATE = 3220<br>mg/kg bw                                |  |
| GERANIOL  | 106-24-1   | 203-377-1   | 01-2119552430-49-xxxx     | 0.1-<1% | SCI 2-EDI 1-SS 1;<br>H315-H317-H318,-  | oral: ATE = 3600<br>mg/kg bw                                |  |
| PENTADECALACTONE  | 106-02-5   | 203-354-6   | 01-2119987323-31-xxxx     | 0.1-<1% | SS 1B-EH C2;H317-<br>H411,-  |   |  |

In accordance with REACH Regulation EC No.1907/2006

## Product: ENERGIZE FRAGRANCE FRAG0500

#### Version: 15

| NEROL  | 106-25-2                  | 203-378-7                             |                       | 0.1-<1% | SCI 2-EDI 2-SS 1B;<br>H315-H317-H319,-                                       | oral: ATE = 4500<br>mg/kg bw   |
|--|---------------------------|---------------------------------------|-----------------------|---------|--|--|
| GERANYL ACETATE  | 105-87-3                  | 203-341-5                             | 01-2119973480-35-xxxx | 0.1-<1% | SCI 2-SS 1B-EH C3;<br>H315-H317-H412,-                                       |  |
| CITRAL   | 5392-40-5                 | 226-394-6                             | 01-2119462829-23-xxxx | 0.1-<1% | SCI 2-EDI 2-SS 1;<br>H315-H317-H319,-  |  |
| REACTION MASS OF<br>ALLYL (2-<br>METHYLBUTOXY)<br>ACETATE & ALLYL (3-<br>METHOXYBUTOXY)<br>ACETATE | 67634-00-8,<br>67634-01-9 | 266-803-5,<br>266-804-0,<br>916-328-0 |                       | 0.1-<1% | ATO 4-ATD 4-ATI 2-EH<br>A1;H302-H312-H330-<br>H400,-                         | inhalation: ATE = 0.46<br>mg/l (dusts or mists)-<br>dermal: ATE = 1100<br>mg/kg bw-oral: ATE =<br>500 mg/kg bw |
| NERYL ACETATE  | 141-12-8                  | 205-459-2                             |                       | 0.1-<1% | SS 1B;H317,-   |  |
| ALLYL HEPTANOATE   | 142-19-8                  | 205-527-1                             |                       | 0.1-<1% | ATO 3-ATD 3-EH A1-<br>EH C2;H301-H311-<br>H400-H411,-                        | M = 10-dermal: ATE =<br>810 mg/kg bw-oral:<br>ATE = 218 mg/kg bw   |
| CIS-3-HEXENYL<br>METHYL CARBONATE  | 67633-96-9                | 266-797-4                             | 01-2120735800-60-xxxx | 0.1-<1% | SCI 2-SS 1B;H315-<br>H317,-  |  |
| 2,4-DIMETHYL-3-<br>CYCLOHEXENE<br>CARBOXALDEHYDE   | 68039-49-6                | 268-264-1                             |                       | 0.1-<1% | SCI 2-SS 1B-EH C2;<br>H315-H317-H411,-                                       | oral: ATE = 2330<br>mg/kg bw   |
| MYRCENE  | 123-35-3                  | 204-622-5                             |                       | 0.1-<1% | FL 3-SCI 2-EDI 2-AH<br>1-EH A1-EH C2;H226-<br>H304-H315-H319-<br>H400-H411,- |  |
| (E)-1-(2,6,6-<br>TRIMETHYL-1,3-<br>CYCLOHEXADIEN-1-<br>YL)-2-BUTEN-1-ONE                           | 23726-93-4                | 245-844-2                             | 01-2120105798-49-xxxx | <0.1%   | SCI 2-SS 1A-EH C2;<br>H315-H317-H411,-                                       | dermal: ATE = 2900<br>mg/kg bw   |

#### Substances with Community workplace exposure limits:

Not Applicable

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

## Section 4. First-aid measures

#### 4.1 Description of first aid measures

| Inhalation:<br>Eye exposure: | Remove from exposure site to fresh air, keep at rest, and obtain medical attention.<br>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present<br>and easy to do. Continue rinsing. |
|------------------------------|--|
| Skin exposure:               | IF ON SKIN: Wash with plenty of soap and water.  |
| Ingestion:                   | Rinse mouth with water and obtain medical attention.   |

## 4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Page 5 (11) Issue date: 23/08/2024 Version: 15 (23/08/2024)

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ENERGIZE FRAGRANCE FRAG0500

Version: 15

Causes serious eye irritation.

## 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

## Section 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

## 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Section 6. Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

## 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

## Section 7. Handling and storage

## 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

## 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

Page 6 (11) Issue date: 23/08/2024 Version: 15 (23/08/2024)

# SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ENERGIZE FRAGRANCE FRAG0500

Version: 15

## 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

## Section 8. Exposure controls/personal protection

## 8.1 Control parameters

Workplace exposure limits: Not Applicable

## 8.2 Exposure Controls

## Eye / Skin Protection

Wear protective gloves/eye protection/face protection

## **Respiratory Protection**

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

## Section 9. Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

| Physical State/Colour:                                    | Clear pale yellow to yellow liquid |  |  |
|---|------------------------------------|--|--|
| Odour:  | Not determined                     |  |  |
| Odour threshold:  | Not determined                     |  |  |
| Melting point / freezing point:                           | Not determined                     |  |  |
| Boiling point or initial boiling point and boiling range: | Not determined                     |  |  |
| Flammability:   | Not determined                     |  |  |
| Lower and upper explosion limit:                          | Not determined                     |  |  |
| Flash point:  | 88 °C                              |  |  |
| Auto-ignition temperature:                                | Not determined                     |  |  |
| Decomposition temperature:                                | Not relevant                       |  |  |
| pH:   | Not determined                     |  |  |
| Kinematic viscosity:                                      | Not determined                     |  |  |
| Solubility:   | Not determined                     |  |  |
| Partition coefficient: n-octanol/water (log value):       | Not determined                     |  |  |
| Vapour pressure:  | 0.14076143 mmHg                    |  |  |
| Density and/or relative density:                          | 0.9220 - 0.9260                    |  |  |
| Relative vapour density:                                  | Not determined                     |  |  |

Page 7 (11) Issue date: 23/08/2024 Version: 15 (23/08/2024)

# SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ENERGIZE FRAGRANCE FRAG0500

Version: 15

Particle characteristics:

Not determined

9.2 Other information: None available

## Section 10. Stability and reactivity

## 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

## 10.2 Chemical stability:

Good stability under normal storage conditions.

## 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

## 10.4 Conditions to avoid:

Avoid extreme heat.

## 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

## 10.6 Hazardous decomposition products:

Not expected.

## Section 11. Toxicological information

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

| Acute Toxicity:  | Based on available data the classification criteria are not met. |  |  |
|--|--|--|--|
| Acute Toxicity Oral  | >5000  |  |  |
| Acute Toxicity Dermal  | >5000  |  |  |
| Acute Toxicity Inhalation  | Not Available  |  |  |
| Skin corrosion/irritation:   | Skin Corrosion / Irritation Category 2                           |  |  |
| Serious eye damage/irritation: Eye Damage / Irritation Category 2                |  |  |  |
| Respiratory or skin sensitisation:   | Sensitization - Skin Category 1                                  |  |  |
| Germ cell mutagenicity:  | Based on available data the classification criteria are not met. |  |  |
| Carcinogenicity:   | Based on available data the classification criteria are not met. |  |  |
| Reproductive toxicity:   | Based on available data the classification criteria are not met. |  |  |
| STOT-single exposure:  | Based on available data the classification criteria are not met. |  |  |
| STOT-repeated exposure:  | Based on available data the classification criteria are not met. |  |  |
| Aspiration hazard: Based on available data the classification criteria are not r |  |  |  |

Information about hazardous ingredients in the mixture

In accordance with REACH Regulation EC No.1907/2006

Product: ENERGIZE FRAGRANCE FRAG0500

## Version: 15

| Ingredient           | CAS         | EC                                    | LD50/ATE Oral | LD50/ATE<br>Dermal | LC50/ATE<br>Inhalation | LC50<br>Route    |
|----------------------|-------------|---------------------------------------|---------------|--------------------|------------------------|------------------|
| ALLYL HEPTANOATE     | 142-19-8    | 205-527-1                             | 218           | 810                | ININT available        | Not<br>available |
| PHENETHYL<br>ALCOHOL | 60-12-8     | 200-456-2                             | 1610          | 2500               |                        | Not<br>available |
| PHENYLISOXANOL       | 55066-48-3  | 259-461-3                             | 1830          | 3100               | linot avallable        | Not<br>available |
| ,                    | 67634-00-8, | 266-803-5,<br>266-804-0,<br>916-328-0 | 500           | 1100               | 0.46                   | Dust/mist        |

Refer to Sections 2 and 3 for additional information.

## 11.2 Information on other hazards

Not Applicable

## Section 12. Ecological information

Toxic to aquatic life with long lasting effects.

| 12.2 Persistence and degradability: | Not available |
|-------------------------------------|---------------|
| 12.3 Bioaccumulative potential:     | Not available |
| 12.4 Mobility in soil:              | Not available |

## 12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Endocrine disrupting properties: Not Applicable

12.7 Other adverse effects: Not available

## Section 13. Disposal considerations

## 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## Section 14. Transport information

| 14.1 UN<br>number:<br>14.2 UN Proper Shipping Name | 14.3<br>Transport<br>hazard class<br>(es): | Sub Risk: | 14.4 Packing<br>Group: |  |
|--|--|-----------|------------------------|--|
|--|--|-----------|------------------------|--|

Page 9 (11) Issue date: 23/08/2024 Version: 15 (23/08/2024)

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ENERGIZE FRAGRANCE FRAG0500

## Version: 15

| UN Model<br>Regulations | UN3082 | ENVIRONMENTALLY HAZARDOUS<br>SUBSTANCE, LIQUID, N.O.S.<br>(TETRAMETHYL<br>ACETYLOCTAHYDRONAPHTHALENE<br>S, LIMONENE)                  | 9 | - | 111 |
|-------------------------|--------|---|---|---|-----|
| IMDG                    | UN3082 | ENVIRONMENTALLY HAZARDOUS<br>SUBSTANCE, LIQUID, N.O.S.<br>(TETRAMETHYL<br>ACETYLOCTAHYDRONAPHTHALENE<br>S, LIMONENE) MARINE POLLUTANT | 9 | - | 111 |
| ADR,RID,ADN             | UN3082 | ENVIRONMENTALLY HAZARDOUS<br>SUBSTANCE, LIQUID, N.O.S.<br>(TETRAMETHYL<br>ACETYLOCTAHYDRONAPHTHALENE<br>S, LIMONENE)                  | 9 | - | 111 |
| ICAO TI                 | UN3082 | ENVIRONMENTALLY HAZARDOUS<br>SUBSTANCE, LIQUID, N.O.S.<br>(TETRAMETHYL<br>ACETYLOCTAHYDRONAPHTHALENE<br>S, LIMONENE)                  | 9 | - | 111 |

#### 14.5 Environmental hazards:

This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

14.6 Special precautions for user:

None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

## Section 15. Regulatory information

## **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** None additional

## **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment has not been carried out for this product.

## Section 16. Other information

| Concentration % Limits:  | SCI 2=33.86% EDI 2=25.30% SS 1=17.37% EH C2=47.80% EH C3=4.<br>73% EDI 2A=25.30% |
|--------------------------|--|
| Total Fractional Values: | SCI 2=2.95 EDI 2=3.95 SS 1=5.76 EH C2=2.09 EH C3=21.14 EDI 2A=3.<br>95           |

## Key to revisions:

- 14.1. UN number
- 14.2. UN proper shipping name
- 14.3. Transport hazard class(es)
- 14.3. Transport hazard class(es)
- 14.4. Packing group

Page 10 (11) Issue date: 23/08/2024 Version: 15 (23/08/2024)

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: ENERGIZE FRAGRANCE FRAG0500

Version: 15

Classification under Regulation (EC) No 1272/2008 Concentration % Limits SECTION 3: Composition/information on ingredients Total Fractional Values

## Key to abbreviations:

| Abbreviation | Meaning   |  |
|--------------|---|--|
| AH 1         | Aspiration Hazard Category 1  |  |
| ATD 3        | Acute Toxicity - Dermal Category 3                                    |  |
| ATD 4        | Acute Toxicity - Dermal Category 4                                    |  |
| ATI 2        | Acute Toxicity - Inhalation Category 2                                |  |
| ATO 3        | Acute Toxicity - Oral Category 3                                      |  |
| ATO 4        | Acute Toxicity - Oral Category 4                                      |  |
| EDI 1        | Eye Damage / Irritation Category 1                                    |  |
| EDI 2        | Eye Damage / Irritation Category 2                                    |  |
| EH A1        | Hazardous to the Aquatic Environment - Acute Hazard Category 1        |  |
| EH C1        | Hazardous to the Aquatic Environment - Long-term Hazard Category 1    |  |
| EH C2        | Hazardous to the Aquatic Environment - Long-term Hazard Category 2    |  |
| EH C3        | Hazardous to the Aquatic Environment - Long-term Hazard Category 3    |  |
| FL 3         | Flammable Liquid, Hazard Category 3                                   |  |
| H226         | Flammable liquid and vapour.  |  |
| H301         | Toxic if swallowed.   |  |
| H302         | Harmful if swallowed.   |  |
| H304         | May be fatal if swallowed and enters airways.                         |  |
| H311         | Toxic in contact with skin.   |  |
| H312         | Harmful in contact with skin.   |  |
| H315         | Causes skin irritation.   |  |
| H317         | May cause an allergic skin reaction.                                  |  |
| H318         | Causes serious eye damage.  |  |
| H319         | Causes serious eye irritation.  |  |
| H330         | Fatal if inhaled.   |  |
| H336         | May cause drowsiness or dizziness.                                    |  |
| H400         | Very toxic to aquatic life.   |  |
| H410         | Very toxic to aquatic life with long lasting effects.                 |  |
| H411         | Toxic to aquatic life with long lasting effects.                      |  |
| H412         | Harmful to aquatic life with long lasting effects.                    |  |
| P210         | Keep away from heat, sparks, open flames and hot surfaces No smoking. |  |
| P233         | Keep container tightly closed.  |  |
| P240         | Ground/bond container and receiving equipment.                        |  |
| P241         | Use explosion-proof electrical, ventilating and lighting equipment.   |  |
| P242         | Use only non-sparking tools.  |  |
| P243         | Take precautionary measures against static discharge.                 |  |

Page 11 (11) Issue date: 23/08/2024 Version: 15 (23/08/2024)

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

## Product: ENERGIZE FRAGRANCE FRAG0500

#### Version: 15

P260 Do not breathe vapour or dust. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product P271 Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. P272 P273 Avoid release to the environment. P280 Wear protective gloves/eye protection/face protection. P284 Wear respiratory protection. P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P301/312 IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell. P302/352 IF ON SKIN: Wash with plenty of soap and water. P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P304/340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to P305/351/338 do. Continue rinsing P310 Immediately call a POISON CENTER or doctor/physician. P312 Call a POISON CENTRE or doctor/physician if you feel unwell. P330 Rinse mouth P331 Do not induce vomiting. P332/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation or rash occurs: Get medical advice/attention P337/313 If eye irritation persists: Get medical advice/attention P361 Remove/Take off immediately all contaminated clothing. P362 Take off contaminated clothing and wash before reuse. P363 Wash contaminated clothing before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233 Store in a well-ventilated place. Keep container tightly closed P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. SCI 2 Skin Corrosion / Irritation Category 2 SS 1 Sensitization - Skin Category 1 SS 1A Sensitization - Skin Category 1A SS 1B Sensitization - Skin Category 1B STO-SE 3(NE) Specific Target Organ Toxicity (Single Exposure) Category 3

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.